

QUICK SHIP

EMERGENCY LIGHTING



FAST.
RELIABLE.
READY TO SHIP.



ITEM#	PART NUMBER	DESCRIPTION
-------	-------------	-------------

BATTERY UNITS

11500122	NV-6-36-2SR-9W-120/277/347V	Nova Battery Unit 6V 36W 9W Heads
11502042	NV-6-36-2SR-5WLED-120/277/347V	Nova Battery Unit 6V 36W 5W LED Heads
11501838	NV-12-72-2SR-5WLED-120/347V	Nova Battery Unit 12V 72W 5W LED Heads
11503594	NV-6-27-2SR-2WLED	Nova Battery Unit - 6V 27W 2W LED Heads
11503489	NV-6-36-2SR-2WLED	Nova Battery Unit - 6V 36W 2W LED Heads
11503490	NV-6-36-2SR-3WLED	Nova Battery Unit - 6V 36W 3W LED Heads
19000037	PZ-627-2PR-2WLED	Prezzo Battery Unit 6V 27W 2PR 2W Heads 120-347VAC
19000034	PZ-U-3.6-120277V	Prezzo Plastic Standalone Battery 3.6V 2X1W LED

EDGE-LIT RUNNING MAN

19011006	CRV-RM-L-U-S-OLR	Curva RM AC Only Universal Surface Mount & Pictograms
19011057	CRV-RM-L-U-S-OLR-UDC	Curva RM Universal Surface Mount & Pictograms, 6-24VDC
19011007	CRV-RM-SP-L-U-S-OLR	Curva RM, Self-Powered Universal Surface Mount & Pictograms

THERMOPLASTIC SIGNS

19000068	ECELUM-UDC-120/347V	Esco Exit Sign Universal Mount 6-24VDC
19000132	ECESPLUM-120347V	Esco Exit Sign Self-Powered Universal Mount
19001008	VE2-RM-L-U-OLR-M	VE2 RM Universal Face & Pictograms AC Only
19001056	VE2-RM-L-U-OLR-M-UDC	VE2 RM Universal Face & Pictograms 6-24VDC
19001009	VE2-RM-SP-L-U-OLR-M	VE2 RM Universal Face & Pictograms Self-Powered

STEEL SIGNS

19001165	SL-RM-ACDC-U-OLR-M	Stella RM Universal Face & Pictograms AC/DC
19001166	SL-RM-SP-U-OLR-M	Stella RM Universal Face & Pictograms Self-Powered
19000039	PZ-RM-ACDC-U-OLR-M	Prezzo RM Universal Face-Pictograms-Mounting AC/DC
19000038	PZ-RM-SP-U-OLR-M	Prezzo RM Self-Powered 120 Min. Universal Face-Pictograms-Mounting

COMBO UNITS

10203509	SL-RM-6-36-L-U-OLR-M-2SR5W-120/347V	Stella RM Combo 6V 36W, Universal Pictograms, 5W LED Heads
10204127	SL-RM-627-U-OLR-M-2SR-2WLED	Stella RM Combo 6V 27W Universal Pictograms, 2WLED heads
10203992	SL-RM-636-U-OLR-M-2SR-3WLED	Stella RM Combo 6V 36W Universal Pictograms, 3WLED heads
10206014	SL-RM-PL1210LU-OLR-M-120-347V	Stellaluce RM Combo 12V10W Universal Face & Mount 120277347V
19001021	VE2-C-RM-L-U-OLR-M-120/347V	VE2 RM Combo 3W LED, Universal Pictograms
19000036	PZ-RM-627-OLR-M-2PR-2WLED	Prezzo RM Combo 6V 27W 2PR 2W LED 120-347VAC

QUICK SHIP

EMERGENCY LIGHTING



FAST.
RELIABLE.
READY TO SHIP.

ITEM#

PART NUMBER

DESCRIPTION

REMOTES



13010144

SR-1-6-24V-5WLED

Single Plastic Remote Head 6-24V 5W LED Lamp

13010143

SR-2-6-24V-5WLED

Double Plastic Remote Head 6-24V 5W LED Lamp



13010176

SR-1-6V-2WLED

PAR18 Single Plastic Remote - 6V 2W LED

13010177

SR-1-6-12V-3WLED

PAR18 Single Plastic Remote - 6V - 12V 3W LED

13010178

SR-2-6V-2WLED

PAR18 Double Plastic Remote - 6V 2W LED

13010179

SR-2-6-12V-3WLED

PAR18 Double Plastic Remote - 6V - 12V 3W LED



19000029

PL-RMT

Pluraluce LED Surface Remote 12W, 12-24VDC

19000030

PR1-6V2W

Prezzo Single Remote Par18 6V 2W LED

19000031

PR1-12V2W

Prezzo Single Remote Par18 12V 2W LED

19000032

PR2-6V2W

Prezzo Double Remote Par18 6V 2W LED

19000033

PR2-12V2W

Prezzo Double Remote Par18 12V 2W LED

WEATHER PROOF (WP)



19000084

PZ-WP-RM-SP-U-OLR-M-IH

Prezzo WP RM Self-Powered 120min Universal Face, Pictogram, Mount w/Internal Heater 120347V



19000082

PZ-WP-C-RM-U-OLR-M-IH-120347V

Prezzo WP Combo RM 120min Self-Powered 3.6V 4W Universal Face & Mount 2x1W LED w/Internal Heater 120347V



19000079

PZ-WP-U-7.2-120347V-IH

Prezzo WP Polycarbonate Battery Unit 120min 7.2V 3.5W 2x2.5W LED 120347V



19000086

PR2-WP-1WLED

Prezzo WP Double Remote 3-12V 1W LED

QUICK SHIP

INDUSTRIAL LIGHTING



FAST.
RELIABLE.
READY TO SHIP.

ITEM#	PART NUMBER	DESCRIPTION
-------	-------------	-------------

VAPOUR TIGHTS

19000020	BS3C-4-PS1-3C-M	BS3C 4FT AC Only PS(30/35/42W) 3C(35/40/50K) 120-347V
19000021	BS3C-4-PS2-3C-M	BS3C 4FT AC Only PS(30/45/65W) 3C(35/40/50K) 120-347V
10001256	BS100L-4-PS-3C-M-90	BS100L 4FT AC Only LED PS(30/45/60W) 3C(35/40/50K) VAPOUR TIGHT 120-347V
10001257	BS100LR-4-PS-3C-M-90	BS100LR 4FT AC Only LED PS(30/45/60W) 3C(35/40/50K) RETROFIT KIT VAPOUR TIGHT 120-347V

HarshX HARSH-X HARSH ENVIRONMENT LIGHTING

2CCT LINEAR

19000300	C-P69F4-50-DB-L	CILINDRO LED 2CCT 4FT 50W NEMA 4X FROST PC LENS HOUSING 5 PIN QUICK CONNECTOR LINKABLE DIMMABLE 2 COLOUR SELECTABLE 4000K/5000K ALUMINUM REBREATHER CEILING MOUNT 100-347V
19000301	C-P69F4-50-DB-W	CILINDRO LED 2CCT 4FT 50W NEMA 4X FROSTED PC LENS HOUSING 6.56FT WIRED POWER CABLE DIMMABLE 2 COLOUR SELECTABLE 4000K/5000K CEILING MOUNT 100-347V

FLEXIBLE LINEAR

19000400	FL13-120V-JB65.6SI-220W-112-2835-NW-11	FLEXLINE T100, 20M REEL 120V INPUT 5000K 13X5 MM FULL SILICON FLUORESCENT EFFECT FINISH M19 CONNECTORS W/YELLOW HANDLE PLASTIC REEL
19000401	FL13-120V-JB82SI-85W-56-2835-NW-3.4	FLEXLINE T300, 25M REEL 120V INPUT 5000K 13X5MM FULL SILICON FLUORESCENT EFFECT FINISH M19 CONNECTOR W/YELLOW HANDLE PLASTIC REEL
19000402	FL13-120V-JB82SI-112.5W-14-2835-NW-4.5	FLEXLINE E30, 25M REEL 120V INPUT 5000K 13X5MM FULL SILICON MILKY WHITE FINISH M19 CONNECTORS W/YELLOW HANDLE PLASTIC REEL

HazX HAZ-X HAZARDOUS LIGHTING

HIGH BAY C1D2, C2D1, C2D2, C3

19000117	HZX-EX-Q1-60W-D-50-D120-B1-2-M	HZX-EX Q1 C1D2GABCD 60W IP66 120° BEAM, CLEAR FLAT GLASS DRIVER BOX COVER B1 LAMP ENCLOSURE HEATSINK-Q NORMAL COVER 2835LED U-BRACKET MOUNT 120-347V
19000118	HZX-EX-Q1-80W-D-50-D120-B1-2-M	HZX-EX Q1 C1D2GABCD 80W IP66 120° BEAM, CLEAR FLAT GLASS DRIVER BOX COVER B1 LAMP ENCLOSURE HEATSINK-Q NORMAL COVER 2835LED U BRACKET MOUNT 120-347V
19000153	HZX-EX-Q1-100W-D-50-D120-M-T	HZX-EX Q1 C1D2GABCD POWER SELECT 60W/80W/100W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVER BOX COVER A1 LAMP ENCLOSURE HEATSINK Q NORMAL ALT ENCLOSURE COVER 1 2835 SELECTABLE LED BOARD 120-347V
19000119	HZX-EX-Q2-100W-D-50-D120-B1-2-M	HZX-EX Q2 C1D2GABCD 100W IP66 120° BEAM, CLEAR FLAT GLASS DRIVER BOX COVER B1 LAMP ENCLOSURE HEATSINK-Q NORMAL COVER 2835LED U BRACKET MOUNT 120-347V
19000154	HZX-EX-Q2-200W-D-50-D120-M-T	HZX-EX Q2 C1D2GABCD POWER SELECT 120W/150W/200W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVER BOX COVER A1 LAMP ENCLOSURE HEATSINK Q NORMAL ALT ENCLOSURE COVER 1 2835 SELECTABLE LED BOARD 120-347V

HIGH BAY C1D1, C1D2, C2D1, C2D2, C3

19000127	HZX-EX-S1-80W-D-50-D120-2-M	HZX-EX S1 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 80W IP66 120° BEAM, CLEAR FLAT GLASS U-BRACKET MOUNT 2835LED 120-347V
19000128	HZX-EX-S1-100W-D-50-D120-2-M	HZX-EX S1 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 100W IP66 120° BEAM, CLEAR FLAT GLASS U-BRACKET MOUNT 2835LED 120-347V
19000144	HZX-EX-S1-100W-D-50-D120-M-T	HZX-EX S1 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 PS 60W/80W/100W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVER COVER C U-BRACKET MOUNT 2835 SELECTABLE LED BOARD 120-347V IDRIVER ENCLOSED BODY W/O LEAD SEALING
19000129	HZX-EX-S2-150W-D-50-D120-2-M	HZX-EX S2 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 150W IP66 120° BEAM, CLEAR FLAT GLASS U-BRACKET MOUNT 2835LED 120-347V
19000130	HZX-EX-S2-200W-D-50-D120-2-M	HZX-EX S2 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 200W IP66 120° BEAM, CLEAR FLAT GLASS U-BRACKET MOUNT 2835LED 120-347V
19000145	HZX-EX-S2-200W-D-50-D120-M-T	HZX-EX S2 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 PS 120W/150W/200W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVER COVER C U-BRACKET MOUNT 2835 SELECTABLE LED BOARD 120-347V DRIVER ENCLOSED BODY W/O LEAD SEALING

QUICK SHIP

INDUSTRIAL LIGHTING



**FAST.
RELIABLE.
READY TO SHIP.**

ITEM#	PART NUMBER	DESCRIPTION
LINEAR C1D1, C1D2		
19000122	HZX-EX-I2-50W-D-50-D120-C-2-M	HZX-EX I2 C1D1GCD C1D2GABCD 50W IP66 CLEAR FLAT GLASS DRIVER HOUSING C 120° BEAM 2835LED 120-347V
19000142	HZX-EX-I2-60W-D-50-D120-C-M-T	HZX-EX I2 C1D1GCD C1D2GABCD POWER SELECT 30W/50W/60W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVE BOX COVER C LENS COVER S 2835 SELECTABLE LED BOARD U-BRACKET MOUNT 120-347V
19000123	HZX-EX-I4-60W-D-50-D120-C-2-M	HZX-EX I4 C1D1GCD C1D2GABCD 60W IP66 CLEAR FLAT GLASS DRIVER HOUSING C 120° BEAM 2835LED 120-347V
19000124	HZX-EX-I4-80W-D-50-D120-C-2-M	HZX-EX I4 C1D1GCD C1D2GABCD 80W IP66 CLEAR FLAT GLASS DRIVER HOUSING C 120° BEAM 2835LED 120-347V
19000125	HZX-EX-I4-100W-D-50-D120-C-2-M	HZX-EX I4 C1D1GCD C1D2GABCD 100W IP66 CLEAR FLAT GLASS DRIVER HOUSING C 120° BEAM 2835LED 120-347V
19000126	HZX-EX-I4-120W-D-50-D120-C-2-M	HZX-EX I4 C1D1GCD C1D2GABCD 120W IP66 CLEAR FLAT GLASS DRIVER HOUSING C 120° BEAM 2835LED 120-347V
19000143	HZX-EX-I4-100W-D-50-D120-C-M-T	HZX-EX I4 C1D1GCD C1D2GABCD POWER SELECT 60W/80W/100W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVE BOX COVER C LENS COVER S 2835 SELECTABLE LED BOARD U-BRACKET MOUNT 120-347V
LINEAR C1D2		
19000102	HZX-EX-H2-40W-D-50-D120-2-M	HZX-EX H2 C1D2GABCD 40W DIMMABLE 2835LED CHIP IP66 120° BEAM, FROSTED CONVEX PC COVER DRIVER BOX COVER-B U BRACKET NO BACKUP 120-347V
19000148	HZX-EX-H2-60W-D-50-D120-M-T	HZX-EX H2 C1D2GABCD POWER SELECT 30W/40W/60W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, FROSTED CONVEX PC DRIVER BOX COVER B 2835 SELECTABLE LED BOARD 120-347
19000103	HZX-EX-H4-60W-D-50-D120-2-M	HZX-EX H4 C1D2GABCD 60W DIMMABLE 2835LED CHIP IP66 120° BEAM, FROSTED CONVEX PC COVER DRIVER BOX COVER-B U BRACKET NO BACKUP 120-347V
19000104	HZX-EX-H4-80W-D-50-D120-2-M	HZX-EX H4 C1D2GABCD 80W DIMMABLE 2835LED CHIP IP66 120° BEAM, FROSTED CONVEX PC COVER DRIVER BOX COVER-B U BRACKET NO BACKUP 120-347V
19000105	HZX-EX-H4-100W-D-50-D120-2-M	HZX-EX H4 C1D2GABCD 100W DIMMABLE 2835LED CHIP IP66 RATING 120° BEAM, FROSTED CONVEX PC COVER DRIVER BOX COVER-B U BRACKET NO BACKUP 120-347V
19000149	HZX-EX-H4-80W-D-50-D120-M-T	HZX-EX H4 C1D2GABCD POWER SELECT 40W/60W/80W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, FROSTED CONVEX PC DRIVER BOX COVER B 2835 SELECTABLE LED BOARD 120-347V
FLOOD LIGHT C1D2, C2D1, C3		
19000110	HZX-EX-A2-60W-D-50-D120-2-M	HZX-EX A2 C1D2GABCD 60W DIMMABLE NEMA 4X IP66 120° BEAM, CLEAR FLAT GLASS COVER DRIVE HOUSING C HEATSINK-O NORMAL COVER DIFFUSER 2835LED U BRACKET MOUNT 120-347V
19000111	HZX-EX-A-80W-D-50-D120-2-M	HZX-EX A C1D2GABCD 80W DIMMABLE NEMA 4X IP66 120° BEAM, CLEAR FLAT GLASS COVER DRIVE HOUSING C HEATSINK-O NORMAL COVER DIFFUSER 2835LED U BRACKET MOUNT 120-347V
19000112	HZX-EX-A-100W-D-50-D120-2-M	HZX-EX A C1D2GABCD 100W DIMMABLE NEMA 4X IP66 120° BEAM, CLEAR FLAT GLASS COVER DRIVE HOUSING C HEATSINK-O NORMAL COVER DIFFUSER 2835LED U BRACKET MOUNT 120-347V
19000150	HZX-EX-A-150W-D-50-D120-M-T	HZX-EX A C1D2GABCD POWER SELECT 80W/100W/150W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVER HOUSING C HEAT SINK O NORMAL COVER 2835 SELECTABLE LED BOARD 120-347V
19000113	HZX-EX-A3-150W-D-50-D120-2-M	HZX-EX A3 C1D2GABCD 150W DIMMABLE NEMA 4X IP66 120° BEAM, CLEAR FLAT GLASS COVER DRIVE HOUSING C HEATSINK-O NORMAL COVER DIFFUSER 2835LED U BRACKET MOUNT 120-347V
19000151	HZX-EX-A3-200W-D-50-D120-M-T	HZX-EX A3 C1D2GABCD POWER SELECT 120W/150W/200W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVER HOUSING C HEAT SINK O NORMAL COVER 2835 SELECTABLE LED BOARD 120-347V
19000152	HZX-EX-A4-300W-D-50-D120-M-T	HZX-EX A4 C1D2GABCD POWER SELECT 200W/250W/300W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS DRIVER HOUSING C HEAT SINK O NORMAL COVER 2835 SELECTABLE LED BOARD 120-347V

QUICK SHIP

INDUSTRIAL LIGHTING



**FAST.
RELIABLE.
READY TO SHIP.**

ITEM#	PART NUMBER	DESCRIPTION
FLOOD LIGHT C1D1, C1D2, C2D1, C2D2		
19000131	HZX-EX-D4-60W-D-50-D120-2-M	HZX-EX D4 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 60W IP66 120° BEAM, CLEAR FLAT GLASS POWER COVER B LIGHT HOUSING P LIGHT COVER T 2835LED 120-347V
19000134	HZX-EX-D4-80W-D-50-D120-2-M	HZX-EX D4 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 80W IP66 120° BEAM, CLEAR FLAT GLASS POWER COVER B LIGHT HOUSING P LIGHT COVER T 2835LED 120-347V
19000146	HZX-EX-D4-100W-D-50-D120-T	HZX-EX D4 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 POWER SELECT 60W/80W/100W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS POWER COVER B LIGHT COVER T 2835 SELECTABLE LED BOARD 120-277V
19000135	HZX-EX-D3-100W-D-50-D120-2-M	HZX-EX D3 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 100W IP66 120° BEAM, CLEAR FLAT GLASS POWER COVER C LIGHT HOUSING P LIGHT COVER T 2835LED 120-347V
19000136	HZX-EX-D3-150W-D-50-D120-2-M	HZX-EX D3 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 150W IP66 120° BEAM, CLEAR FLAT GLASS POWER COVER C LIGHT HOUSING P LIGHT COVER T 2835LED 120-347V
19000137	HZX-EX-D3-200W-D-50-D120-2-M	HZX-EX D3 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 200W IP66 120° BEAM, CLEAR FLAT GLASS POWER COVER C LIGHT HOUSING P LIGHT COVER T 2835LED 120-347V
19000147	HZX-EX-D3-200W-D-50-D120-M-T	HZX-EX D3 C1D1GBCD C1D2GABCD C2D1GEFG C2D2GFG C3 POWER SELECT 120W/150W/200W DIMMABLE COLOUR SELECT 4000K/5000K/6500K 120° BEAM, CLEAR FLAT GLASS POWER COVER C LIGHT HOUSING P LIGHT COVER T 2835 SELECTABLE LED BOARD 120-347V
VAPOUR TIGHT C1D2		
19000139	HZX-EX-R4-40W-N-50-D120-C	HZX-EX R4 C1D2GABCD 40W IP66 5000K 120° BEAM ANGLE CEILING WALL MOUNT 100-277V
19000140	HZX-EX-R4-50W-N-50-D120-C	HZX-EX R4 C1D2GABCD 50W IP66 5000K 120° BEAM ANGLE CEILING WALL MOUNT 100-277V
19000141	HZX-EX-R4-60W-N-50-D120-C	HZX-EX R4 C1D2GABCD 60W IP66 5000K 120° BEAM ANGLE CEILING WALL MOUNT 100-277V
JAM JAR C1D1, C2D2, C2D1, C2D2		
19000101	HZX-EX-G-30W-D-50-D120	HZX-EX G C1D1GCD C1D2GABCD C2D1GEFG C2D2GFG C3 30W DIMMABLE IP66 120° BEAM, TEMPERED SPHERICAL GLASS AND WIRE GUARD W/SURFACE MOUNT KITS 120-277V
19000138	HZX-EX-G-40W-D-50-D120	HZX-EX G C1D1GCD C1D2GABCD C2D1GEFG C2D2GFG C3 40W DIMMABLE IP66 120° BEAM, TEMPERED SPHERICAL GLASS W/WIRE GUARD SURFACE MOUNT 120-277V
JAM JAR C1D2		
19000106	HZX-EX-02-30W-D-50-D120-CLGG-A-M1-D-N-M	HZX-EX 02 C1D2GABCD 30W DIMMABLE NEMA 4X IP66 120° BEAM, CLEAR LONG GLOBAL GLASS COVER AND WIRE GUARD HEAT SINK COVER-A CEILING MOUNT LONG LENGTH SMT 120-347V
19000107	HZX-EX-02-30W-D-50-D120-CLGG-A-M4-D-N-M	HZX-EX 02 C1D2GABCD 30W DIMMABLE NEMA 4X IP66 120° BEAM, CLEAR LONG GLOBAL GLASS COVER AND WIRE GUARD HEAT SINK COVER-A ROTATING ARM MOUNT LONG LENGTH SMT 120-347V
19000108	HZX-EX-02-40W-D-50-D120-CLGG-A-M1-D-N-M	HZX-EX 02 C1D2GABCD 40W DIMMABLE NEMA 4X IP66 120° BEAM, CLEAR LONG GLOBAL GLASS COVER AND WIRE GUARD HEAT SINK COVER-A CEILING MOUNT LONG LENGTH SMT 120-347V
19000109	HZX-EX-02-40W-D-50-D120-CLGG-A-M4-D-N-M	HZX-EX 02 C1D2GABCD 40W DIMMABLE NEMA 4X IP66 120° BEAM, CLEAR LONG GLOBAL GLASS COVER AND WIRE GUARD HEAT SINK COVER-A ROTATING ARM MOUNT LONG LENGTH SMT 120-347V